



Issuing Date 11-May-2012

Revision Date 09-May-2014

Version 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

<u>Product identifier</u> Product name	Automatic Transmission Fluid M/D II		
<u>Other means of identification</u> Product Code(s) Synonyms	1311, 101311 No information available		
Recommended use of the chemical Recommended Use Uses advised against	and restrictions on use Transmission Fluid, Lubricant. No information available		
Details of the supplier of the safety Manufacturer Address Hicks Oils 845 N. Hickory Street Du Quoin,IL 62832 TEL: 618-542-5431	<u>data sheet</u>		
Emergency telephone number Company Phone Number Company Emergency Phone	618-542-5431 (618) 542-5431		

Company Emergency Phone(618) 542-5431NumberChemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1	
--------------------	------------	--

Label elements

EMERGENCY OVERVIEW

WARNING

Hazard statements May cause an allergic skin reaction

Appearance Red Colored Liquid Physical state viscous liquid Odor Mild petroleum odor

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

Specific treatment (see supplemental first aid instruction on this label) IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

• May be harmful in contact with skin Unknown Aquatic Toxicty 0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name Chemical Family Hydrocarbon Lubricating Fluid. Petroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	91.81	*
Residual Oils (petroleum), solvent-dewaxed	64742-62-7	0-5	*
Methacrylate copolymer	Proprietary	0.82-1.62	*
Alkoxylated long-chain alkyl amine	Proprietary	0.08-0.4	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures		
General advice	No hazards which require special first aid measures.	
Eye contact	Flush eyes for 30 minutes with water. Get medical attention if irritation persists.	
Skin contact	Wash off immediately with soap and plenty of water.	
Inhalation	Move exposed persons to fresh air. Consult medical personal if breathing issues occur.	
Ingestion	Do NOT induce vomiting. Consult a physician.	
Most important symptoms and effect	cts, both acute and delayed	
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO₂). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

Small Fires Always use personal safety equipment. Follow appropriate personal safety procedures, and extinguishing media.

Large Fires

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Contact emergency personnel.

Specific hazards arising from the chemical

Combustible material.

Hazardous combustion productsCarbon monoxide. Carbon dioxide (CO₂).

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal protection	Avoid contact with the skin and the eyes. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as material can cause surfaces to become very slippery.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Cover with earth, sand, or other non-combustible material followed with plastic sheets to minimize spreading or contact with rain.		
Methods for cleaning up	Excess liquid material can be collected using a scoop or shovel and stored for recycling or disposal. Prevent material from entering drains or waterways.		
7. HANDLING AND STORAGE			
Precautions for safe handling			
Advice on safe handling	Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep away from heat and sources of ignition. Keep containers closed when not in use. Follow first aid measures if contact occurs, and spill procedures if spill occurs. For packaged material: Store in a cool dry area. For bulk material: store in cool dry area. Always follow local, state, and federal guidlines for storage of material for amount stored.		
Incompatible Products	Strong oxidizing agents.		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters_		
Exposure guidelines	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.	
Appropriate engineering controls		
Engineering Controls	Showers Eyewash stations Ventilation systems.	
Individual protection measures, suc	ch as personal protective equipment	
Eye/face Protection	If splashes are likely to occur, wear:. Goggles. Eye/face Protection.	
Skin and body protection	Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin wash with soap and water.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations	Remove and wash contaminated clothing before re-use.	
9. PHYSICAL AND CHEMICAL PROPERTIES		

Information on basic physical and chemical properties

Physical state Appearance Color	viscous liquid Red Colored Liquid red	Odor Odor threshold	Mild petroleum odor No information available
Property_	Values_	Remarks • Method	
pH	No information available		
Melting point/freezing point	No information available		
Boiling Point/Range	No information available		
Flash point	> 93.3 °C / > 200 °F		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	0.86		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature			
Decomposition temperature	No information available		
Kinematic viscosity	6.9 @100C mm2/s		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
Other information			
Softening point	No information available		
VOC Content	No information available		
Density	No information available		

Bulk density

No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Excessive heat. High energy sources of ignition.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Avoid contact with eyes. May cause irritation.
Skin contact	May cause eye/skin irritation. Prolonged skin contact may defat the skin and produce dermatitis.
Ingestion	Do NOT taste or swallow.

-			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating oils, petroleum, hydrotreated spent 64742-58-1	> 2000 mg/kg (Rat)	> 4480 mg/kg (Rabbit)	-
Residual Oils (petroleum), solvent-dewaxed	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat)4 h

Information on toxicological effects

Symptoms

64742-62-7

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Residual Oils (petroleum), solvent-dewaxed 64742-62-7	-	Group 1	-	Х

Reproductive toxicity

No information available.

STOT - single exposureNSTOT - repeated exposureNAspiration hazardN

No information available. No information available. No information available.

Numerical measures of toxicity - Product Information

Unknown Aquatic Toxicty 0% of the mixture consists of ingredient(s) of unknown toxicity The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

1.62% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Lubricating oils, petroleum, hydrotreated	-	79.6: 96 h Brachydanio rerio	-
spent		mg/L LC50 semi-static 3.2: 96 h	
64742-58-1		Pimephales promelas mg/L LC50	
		semi-static	
Residual Oils (petroleum), solvent-dewaxed	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
64742-62-7		mg/L LC50	EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects	No information available		
13. DISPOSAL CONSIDERATIONS			
Waste treatment methods			
Waste Disposal Method	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated packaging	Do not reuse container.		

14. TRANSPORT INFORMATION

DOT

Not regulated

IATAPETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR
TRANSPORT UNDER ICAO TI OR IATA DGR

15. REGULATORY INFORMATION

International Inventories		
TSCA	Does not comply	

DSL/NDSL EINECS/ELINCS	Does not comply Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals. DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection X
Issuing Date	11-May-2012			

Revision Date09-May-2014Revision Note(M)SDS sections updated 2 3 5 7 9 10 11 14 15 16DisclaimerThe information provided on this SDS is correct to

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS