

# **Safety Data Sheet**

Issuing Date 29-Aug-2016 Revision Date 29-Aug-2016 Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name CJ-4/SN 15W-40 Motor Oil

Other means of identification

**Product Code(s)** 61129, 161129

Synonyms No information available

Recommended use of the chemical and restrictions on use
Recommended Use Engine oil, Lubricant.
Uses advised against All Other Uses

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Hicks Oils

845 N. Hickory Street Du Quoin,IL 62832 TEL: 1-618-542-5431

Emergency telephone number

Company Phone Number 618-542-5431 Company Emergency Phone (618) 542-5431

Number

Emergency telephone number Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1

# Label elements

### **EMERGENCY OVERVIEW**

# WARNING

#### Hazard statements

Causes serious eye irritation May cause an allergic skin reaction



Appearance dark amber Physical state Viscous Liquid Odor Mild petroleum odor

**Precautionary Statements - Prevention** 

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

#### **Precautionary Statements - Response**

Specific treatment (see this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

#### Other information

- May be harmful in contact with skin
- · Toxic to aquatic life with long lasting effects
- · Toxic to aquatic life

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Common NameHydrocarbon Lubricating Fluid.Chemical FamilyPetroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	77.6	*
Zinc dialkyl dithiophosphate	68649-42-3	0.89-1.75	*
Polyolefin amide alkenamine	Proprietary	0.89-1.75	*
Calcium long-chain alkylphenate sulfide	Proprietary	0.89-1.75	*
Alkaryl amine	Proprietary	0.89-1.75	*
Phenol, 4-dodecyl-	104-43-8	0.09-0.18	*
Calcium long-chain alkaryl sulfonate	Proprietary	0.09-0.18	*
Alkoxylated long-chain alkyl alcohol	68551-12-2	0.09-0.18	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### First aid measures

**General advice** No hazards which require special first aid measures.

**Eye contact** Flush eyes for 30 minutes with water. Get medical attention if irritation persists.

Skin contact Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by

washing with mild soap and water or a waterless hand cleaner. If irritation or redness

develops and persists, seek medical attention.

**Inhalation** Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.

**Ingestion** Do NOT induce vomiting. Consult a physician.

### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

Small Fires Always use personal safety equipment. Follow appropriate personal safety procedures, and

extinguishing media.

**Large Fires** Contact emergency personnel.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Combustible material.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO 2).

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

**Personal protection** Avoid contact with the skin and the eyes. Eye protection or face shield should be used if

material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as

material can cause surfaces to become very slippery.

Other information Small spill: Remove sources of heat or ignition, provide adequate ventilation, contain leak

using absorbent, inert, non-combustible material. Large Spill: Contain spill, transfer to secure containers. In the event of an uncontrolled material release, the user should

determine if release is reportable under applicable laws and regulations.

For emergency responders Clean up area with absorbent material and place in closed containers for disposal.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Cover with earth, sand, or other non-combustible material followed with plastic sheets to

minimize spreading or contact with rain.

Methods for cleaning up Excess liquid material can be collected using a scoop or shovel and stored for recycling or

disposal. Prevent material from entering drains or waterways.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if

material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat and sources of ignition. Keep containers closed when not in use.

Follow first aid measures if contact occurs, and spill procedures if spill occurs. For packaged material: Store in a cool dry area. For bulk material: store in cool dry area. Always follow local, state, and federal guidlines for storage of material for amount stored.

Incompatible Products Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face Protection** If splashes are likely to occur, wear:. Goggles. Eye/face Protection.

Skin and body protection Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin

wash with soap and water.

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Cleveland open cup (COC)

provided in accordance with current local regulations.

**General Hygiene Considerations** Remove and wash contaminated clothing before re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Viscous Liquid

Appearancedark amberOdorMild petroleum odorColoramberOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available
Melting point/freezing point No information available
Boiling Point/Range No information available
Flash point 237 °C / 458.6 °F

Flash point 237 °C / 458.6 °F
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
No information available
No information available
No information available

#### CJ-4/SN 15W-40 Motor Oil

Vapor density No information available

Specific gravity 0.88

Water solubility
Solubility in other solvents
Partition coefficient
No information available
No information available
No information available

Autoignition temperature

Decomposition temperatureNo information availableKinematic viscosity115-125 @ 40C mm2/sDynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

**Other information** 

Softening point
VOC Content
Density
No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under normal conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

#### **Conditions to avoid**

Excessive heat. High energy sources of ignition.

#### Incompatible materials

Strong oxidizing agents.

### **Hazardous decomposition products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information No data available

**Inhalation** Inhalation of vapors in high concentration may cause irritation of respiratory system.

**Eye contact** Avoid contact with eyes. May cause irritation.

Skin contact May cause eye/skin irritation. Repeated exposure may cause skin dryness or cracking. May

cause sensitization by skin contact.

Ingestion Do NOT taste or swallow. MAY BE HARMFUL IF SWALLOWED.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating oils, petroleum, > 2000 mg/kg (Rat)		> 4480 mg/kg ( Rabbit )	-
64742-58-1			
Phenol, 4-dodecyl- 104-43-8	= 2100 mg/kg (Rat)	= 5 mL/kg(Rabbit)	-

# Information on toxicological effects

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Serious eye damage/eye irritation Irritating to eyes.

Sensitization May cause sensitization by skin contact.

**Germ cell mutagenicity**No information available.

Carcinogenicity Mineral oils are known to cause cancer because of carcinogenic components (e.g.

benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has

caused skin cancer in animal tests. .

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 5055 mg/kg ATEmix (dermal) 4988 mg/kg

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Toxic to aquatic life

Toxic to aquatic life with long lasting effects

77.78% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Lubricating oils, petroleum, hydrotreated	-	3.2: 96 h Pimephales promelas	-
spent		mg/L LC50 semi-static 79.6: 96 h	
64742-58-1		Brachydanio rerio mg/L LC50	
		semi-static	
Zinc dialkyl dithiophosphate	-	1.0 - 5.0: 96 h Pimephales	1 - 1.5: 48 h Daphnia magna
68649-42-3		promelas mg/L LC50 static 10.0 -	mg/L EC50
		35.0: 96 h Pimephales promelas	
		mg/L LC50 semi-static	
Phenol, 4-dodecyl-	-	0.14: 96 h Oncorhynchus clarki	-
104-43-8		mg/L LC50	

### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Other adverse effects No information available

Ozone Not Applicable

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Revision Date 29-Aug-2016

Waste Disposal Method Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

IATA PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR

TRANSPORT UNDER ICAO TI OR IATA DGR

# 15. REGULATORY INFORMATION

International Inventories

**TSCA** Does not comply **DSL/NDSL** Does not comply **EINECS/ELINCS** Does not comply Does not comply **ENCS IECSC** Does not comply **KECL** Does not comply **PICCS** Does not comply **AICS** Does not comply

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

# SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **U.S. State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

# **U.S. State Right-to-Know Regulations**

	Chemical name	New Jersey	Massachusetts	Pennsylvania
Ī	Zinc dialkyl dithiophosphate	X	-	X
	68649-42-3			

#### U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

16. OTHER INFORMATION					
10. OTHER INFORMATION					
<u>NFPA</u>	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Hazards -	
<u>HMIS</u>	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection X	
Issuing Date Revision Date Revision Note Initial Release	29-Aug-2016 29-Aug-2016				

Initial Release Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of MSDS**