

# **Safety Data Sheet**

Issuing Date 21-Jan-2010 Revision Date 09-May-2014 Version 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product name Super V Multivehicle Automatic Transmission Fluid

Other means of identification

**Product Code(s)** 1310, 91310

Synonyms No information available

Recommended use of the chemical and restrictions on use
Recommended Use Transmission Fluid, Lubricant.
Uses advised against No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Hicks Oils

845 N. Hickory Street Du Quoin,IL 62832 TEL: 618-542-5431

Emergency telephone number

Company Phone Number 618-542-5431 Company Emergency Phone (618) 542-5431

Number

Emergency telephone number Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

## Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization Category 1

# Label elements

#### **EMERGENCY OVERVIEW**

## WARNING

## Hazard statements

May cause an allergic skin reaction



**Appearance** Red Colored Liquid Amber colored liquid

Physical state viscous liquid

Odor Mild petroleum odor

## **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

## **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instruction on this label) IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

#### Other information

- MAY BE HARMFUL IF SWALLOWED
- · May be harmful in contact with skin
- · Harmful to aquatic life with long lasting effects
- Harmful to aquatic life

Unknown Aquatic Toxicty

0.16% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Common NameHydrocarbon Lubricating Fluid.Chemical FamilyPetroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	69.54	*
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	14.01-15.81	*
Residual Oils (petroleum), solvent-dewaxed	64742-62-7	0-8.8	*
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	0.91-1.81	*
Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.	Proprietary	0.18-0.89	*
1-(tert-Dodecylthio)propan-2-ol	67124-09-8	0.18-0.89	*
1,2-Propanediol, 3-amino-, N,N- dicoco alkyl derivs.	Proprietary	0.09-0.27	*
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives	61791-44-4	0.02-0.16	*
Diphenylamine	122-39-4	0.02-0.16	*
C14-18 alpha-olefin epoxide, reaction products with boric acid	Proprietary	0.02-0.16	*
Benzene, polypropene derivatives, sulfonated, calcium salts	Proprietary	0.02-0.16	*
1H- Imidazole-1-ethanol, 2-(heptadecenyl)-4,5-dihydro-	Proprietary	0.02-0.16	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### First aid measures

General advice No hazards which require special first aid measures.

**Eye contact** Flush eyes for 30 minutes with water. Get medical attention if irritation persists.

**Skin contact** Wash off immediately with soap and plenty of water.

**Inhalation** Move exposed persons to fresh air. Consult medical personal if breathing issues occur.

\_\_\_\_\_

**Ingestion** Do NOT induce vomiting. Consult a physician.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

Small Fires Always use personal safety equipment. Follow appropriate personal safety procedures, and

extinguishing media.

Large Fires Contact emergency personnel.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Combustible material.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal protection Avoid contact with the skin and the eyes. Eye protection or face shield should be used if

material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as

material can cause surfaces to become very slippery.

Environmental precautions

**Environmental precautions**See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Cover with earth, sand, or other non-combustible material followed with plastic sheets to

minimize spreading or contact with rain.

Methods for cleaning up Excess liquid material can be collected using a scoop or shovel and stored for recycling or

disposal. Prevent material from entering drains or waterways.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if

material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at

ambient temperature.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat and sources of ignition. Keep containers closed when not in use.

Follow first aid measures if contact occurs, and spill procedures if spill occurs. For packaged material: Store in a cool dry area. For bulk material: store in cool dry area. Always follow local, state, and federal guidlines for storage of material for amount stored.

Incompatible Products Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Diphenylamine 122-39-4	TWA: 10 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>

#### Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/face Protection** If splashes are likely to occur, wear:. Goggles. Eye/face Protection.

Skin and body protection Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin

wash with soap and water.

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Remove and wash contaminated clothing before re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state viscous liquid

Appearance Red Colored Liquid Amber colored Odor Mild petroleum odor

liquid

ColorOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo information availableMelting point/freezing pointNo information availableBoiling Point/RangeNo information availableFlash point> 93.3 °C / > 200 °FEvaporation rateNo information available

#### **Super V Multivehicle Automatic Transmission Fluid**

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
No information available
No information available
No information available

Specific gravity 0.86

Water solubility
Solubility in other solvents
Partition coefficient
No information available
No information available
No information available

**Autoignition temperature** 

Decomposition temperatureNo information availableKinematic viscosity7.4 @100C mm2/sDynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

Other information

Softening point
VOC Content
Density
No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

## **Chemical stability**

Stable under normal conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

## **Conditions to avoid**

Excessive heat. High energy sources of ignition.

# **Incompatible materials**

Strong oxidizing agents.

## **Hazardous decomposition products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information No data available

**Inhalation** Inhalation of vapors in high concentration may cause irritation of respiratory system.

**Eye contact** Avoid contact with eyes. May cause irritation.

Skin contact May cause eye/skin irritation. Prolonged skin contact may defat the skin and produce

dermatitis.

**Ingestion** Do NOT taste or swallow.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50

\_\_\_\_

Petroleum distillates, hydrotreated light paraffinic 64742-55-8	-	-	= 3900 mg/m³(Rat ) 4 h
Residual Oils (petroleum), solvent-dewaxed 64742-62-7	> 5000 mg/kg(Rat)	> 2000 mg/kg(Rabbit)	= 2.18 mg/L (Rat) 4 h
Diphenylamine 122-39-4	= 1165 mg/kg ( Rat )	> 2000 mg/kg(Rabbit)	-

#### Information on toxicological effects

Symptoms No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	-	Group 1	-	X
Petroleum distillates, hydrotreated light paraffinic 64742-55-8	<u>-</u>	Group 1	<u>-</u>	X
Residual Oils (petroleum), solvent-dewaxed 64742-62-7	-	Group 1	-	Х

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

Unknown Aquatic Toxicty 0.16% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

1.48% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Petroleum distillates, hydrotreated light paraffinic 64742-55-8	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Residual Oils (petroleum), solvent-dewaxed 64742-62-7	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Diphenylamine 122-39-4	1.5: 72 h Scenedesmus subspicatus mg/L EC50	3.47 - 4.14: 96 h Pimephales promelas mg/L LC50 flow-through	1.69 - 2.46: 48 h Daphnia magna mg/L EC50

## Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

Chemical name	Partition coefficient
Diphenylamine	3.5
122-39-4	

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

Waste Disposal Method Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Diphenylamine	(hazardous constituent - no	Included in waste streams:	-	-
122-39-4	waste number)	F039, K083, K104		

Chemical name	California Hazardous Waste Status
Diphenylamine 122-39-4	Toxic

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Does not comply Does not comply **DSL/NDSL EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Does not comply **KECL** Does not comply **PICCS** Does not comply Does not comply **AICS** 

#### Leaend:

All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	SARA 313 - Threshold Values %
Diphenylamine - 122-39-4	1.0

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## U.S. State Regulations

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated light paraffinic 64742-55-8	-	X	-
Diphenylamine 122-39-4	X	X	X

#### U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

NFPAHealth hazards 1Flammability 1Instability 0Physical and Chemical Hazards -HMISHealth hazards 1Flammability 1Physical hazards 0Personal protection X

Issuing Date21-Jan-2010Revision Date09-May-2014Revision Note

(M)SDS sections updated 2 3 5 7 9 10 11 15 16

**Disclaimer** 

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of MSDS**