



Safety Data Sheet

Issuing Date 07-Dec-2009

Revision Date 05-Jun-2019

Version 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name GL-5 Gear Oils; 80W-90, 85W-140

Other means of identification

Product Code(s) 1411, 101411, 1412, 101412

Synonyms No information available

Recommended use of the chemical and restrictions on use

Recommended Use Gear Oil, Lubricant.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Hicks Oils
845 N. Hickory Street
Du Quoin, IL 62832
TEL: 1-618-542-5431

Emergency telephone number

Company Phone Number 1-618-542-5431

Company Emergency Phone Number (618)542-5431

Emergency telephone number Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|--------------------|------------|
| Skin sensitization | Category 1 |
|--------------------|------------|

Label elements

EMERGENCY OVERVIEW

WARNING

Hazard statements

May cause an allergic skin reaction



Appearance Amber colored liquid

Physical state -

Odor Mild petroleum odor
Mild sulfur odor

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Precautionary Statements - Response

Specific treatment (see supplemental first aid instruction on this label)

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

Unknown Aquatic Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name Petroleum based lubricating fluid.
Chemical Family Petroleum hydrocarbon mixture.

| Chemical name | CAS-No | Weight % | Trade secret |
|--|------------|-----------|--------------|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | 0-75 | * |
| Residual Oils (petroleum), solvent-dewaxed | 64742-62-7 | 20-90 | * |
| Lubricating oils, petroleum, hydrotreated spent | 64742-58-1 | 0-45 | * |
| Amines, C12-14-tert-alkyl | 68955-53-3 | 0.06-0.29 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice No hazards which require special first aid measures.

Eye contact Flush eyes for 30 minutes with water. Get medical attention if irritation persists.

Skin contact Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water or a waterless hand cleaner. If irritation or redness develops and persists, seek medical attention.

Inhalation Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.

Ingestion Do NOT induce vomiting. Consult a physician.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO₂). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

Small Fires Always use personal safety equipment. Follow appropriate personal safety procedures, and extinguishing media.

Large Fires Contact emergency personnel.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Combustible material.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO₂).

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal protection

Avoid contact with the skin and the eyes. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as material can cause surfaces to become very slippery.

Environmental precautions

Environmental precautions

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment

Cover with earth, sand, or other non-combustible material followed with plastic sheets to minimize spreading or contact with rain.

Methods for cleaning up

Excess liquid material can be collected using a scoop or shovel and stored for recycling or disposal. Prevent material from entering drains or waterways.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep away from heat and sources of ignition. Keep containers closed when not in use. Follow first aid measures if contact occurs, and spill procedures if spill occurs. For packaged material: Store in a cool dry area. For bulk material: store in cool dry area. Always follow local, state, and federal guidelines for storage of material for amount stored.

Incompatible Products

Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--|--------------------------|--------------------------|--|
| Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7 | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ | IDLH: 2500 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³ |

Appropriate engineering controls

| | |
|-----------------------------|---|
| Engineering Controls | Showers Eyewash stations Ventilation systems. |
|-----------------------------|---|

Individual protection measures, such as personal protective equipment

| | |
|---------------------------------|---|
| Eye/face Protection | If splashes are likely to occur, wear: Goggles. Eye/face Protection. |
| Skin and body protection | Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin wash with soap and water. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |

| | |
|---------------------------------------|--|
| General Hygiene Considerations | Remove and wash contaminated clothing before re-use. |
|---------------------------------------|--|

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

| | | | |
|-----------------------|----------------------|-----------------------|--------------------------|
| Physical state | - | Odor | Mild petroleum odor |
| Appearance | Amber colored liquid | | Mild sulfur odor |
| Color | amber | Odor threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|------------------------------|------------------------------------|-------------------------|
| pH | No information available | |
| Melting point/freezing point | No information available | |
| Boiling Point/Range | No information available | |
| Flash point | > 204 °C / > 400 °F | |
| Evaporation rate | No information available | |
| Flammability (solid, gas) | No information available | |
| Flammability Limit in Air | | |
| Upper flammability limit: | No information available | |
| Lower flammability limit: | No information available | |
| Vapor pressure | No information available | |
| Vapor density | No information available | |
| Specific gravity | 0.89 | |
| Water solubility | No information available | |
| Solubility in other solvents | No information available | |
| Partition coefficient | No information available | |
| Autoignition temperature | | |
| Decomposition temperature | No information available | |
| Kinematic viscosity | 14.6-25.2 @100C mm ² /s | |
| Dynamic viscosity | No information available | |
| Explosive properties | No information available | |
| Oxidizing properties | No information available | |

Other information

| | |
|------------------------|--------------------------|
| Softening point | No information available |
| VOC Content | No information available |

Density No information available
Bulk density No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Excessive heat. High energy sources of ignition.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye contact Avoid contact with eyes. May cause irritation.

Skin contact May cause eye/skin irritation. Repeated exposure may cause skin dryness or cracking.

Ingestion Do NOT taste or swallow.

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|-------------------------------------|-------------------------|-------------------------|
| Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7 | > 15 g/kg (Rat) > 24 g/kg (Rat) | > 5000 mg/kg (Rabbit) | = 2062 ppm (Rat) 4 h |
| Residual Oils (petroleum), solvent-dewaxed 64742-62-7 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | = 2.18 mg/L (Rat) 4 h |
| Lubricating oils, petroleum, hydrotreated spent 64742-58-1 | > 2000 mg/kg (Rat) | > 4480 mg/kg (Rabbit) | - |
| Amines, C12-14-tert-alkyl 68955-53-3 | = 300 mg/kg (Rat) | = 1120 mg/kg (Rabbit) | - |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Mineral oils are known to cause cancer because of carcinogenic components (e.g. benzene). The mineral oil in this product is highly refined and should not be considered a

carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has caused skin cancer in animal tests. .

| Chemical name | ACGIH | IARC | NTP | OSHA |
|--|-------|---------|-------|------|
| Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7 | - | Group 1 | Known | X |
| Residual Oils (petroleum), solvent-dewaxed 64742-62-7 | - | Group 1 | Known | X |

Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Aquatic Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.52% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|--|----------------------|---|---------------------------------------|
| Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7 | - | 5000: 96 h Oncorhynchus mykiss mg/L LC50 | 1000: 48 h Daphnia magna mg/L EC50 |
| Residual Oils (petroleum), solvent-dewaxed 64742-62-7 | - | 5000: 96 h Oncorhynchus mykiss mg/L LC50 | 1000: 48 h Daphnia magna mg/L EC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

14. TRANSPORT INFORMATION

DOT

Not regulated

IATA

PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER ICAO TI OR IATA DGR

| |
|-----------------------------------|
| 15. REGULATORY INFORMATION |
|-----------------------------------|

International Inventories

| | |
|----------------------|-----------------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Complies |
| ENCS | Does not comply |
| IECSC | Complies |
| KECL | Complies |
| PICCS | Complies |
| AICS | Complies |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

U.S. Federal RegulationsSARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| | |
|--|----|
| Acute health hazard | No |
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State RegulationsCalifornia Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7 | X | - | X |

U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

16. OTHER INFORMATION

| | | | | |
|-------------|------------------|----------------|--------------------|---------------------------------|
| NFPA | Health hazards 1 | Flammability 1 | Instability 0 | Physical and Chemical Hazards - |
| HMIS | Health hazards 1 | Flammability 1 | Physical hazards 0 | Personal protection B |

Issuing Date 07-Dec-2009

Revision Date 05-Jun-2019

Revision Note

SDS sections updated 2 3 9 11 16

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS