

Safety Data Sheet

Revision Date 07-Mar-2017

Version 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product name

Synthetic API SN JASO MA-2 Motorcycle Oils: 10W-40, 20W-50

Other means of identification Product Code(s) Synonyms

90577: 10W-40, 90578: 20W-50 No information available

Recommended use of the chemical and restrictions on useRecommended UseMotorcycle engine oil, Lubricant.Uses advised againstAll Other Uses

Details of the supplier of the safety data sheetManufacturer AddressHicks Oils845 N. Hickory StreetDu Quoin,IL 62832TEL: 1-618-542-5431Emergency telephone number618-542-5431Company Phone Number618-542-5431Emergency telephone numberChemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Label elements

EMERGENCY OVERVIEW

Appearance Amber colored liquid

Physical state Viscous Liquid

Odor Mild petroleum odor

Hazards not otherwise classified (HNOC)

Other information

Unknown Aquatic Toxicty

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name Chemical Family

Hydrocarbon Lubricating Fluid. Petroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	70-85	*
1-Octene Homopolymer, Hydrogenated	70693-43-5	0-20	*

Synthetic API SN JASO MA-2 Motorcycle Oils: 10W-40, 20W-50

Reaction products of Benzeneamine, N-phenyl with nonene (branched)	36878-20-3	0.82-1.62	*
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	84605-29-8	0.08-0.4	*
Phenol, dodecyl-, branched	121158-58-5	0.01-0.07	*
Diphenylamine	122-39-4	0.01-0.07	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice	No hazards which require special first aid measures.	
Eye contact	Flush eyes for 30 minutes with water. Get medical attention if irritation persists.	
Skin contact	Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water or a waterless hand cleaner. If irritation or redness develops and persists, seek medical attention.	
Inhalation	Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.	
Ingestion	Do NOT induce vomiting. Consult a physician.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

Suitable extinguishing media

Carbon dioxide (CO₂). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

Large Fires

Contact emergency personnel.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical Combustible material.

Hazardous combustion productsCarbon monoxide. Carbon dioxide (CO 2).

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal protection

Avoid contact with the skin and the eyes. Eye protection or face shield should be used if

	material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as material can cause surfaces to become very slippery.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containn	nent and cleaning up	
Methods for containment	Cover with earth, sand, or other non-combustible material followed with plastic sheets to minimize spreading or contact with rain.	
Methods for cleaning up	Excess liquid material can be collected using a scoop or shovel and stored for recycling or disposal. Prevent material from entering drains or waterways.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Precautions for safe handling Advice on safe handling	Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.	
_	material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.	
Advice on safe handling	material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Diphenylamine	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³
122-39-4	_		_

Appropriate engineering controls

Engineering Controls Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face Protection	If splashes are likely to occur, wear:. Goggles. Eye/face Protection.
Skin and body protection	Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin wash with soap and water.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be

required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Viscous Liquid		•••••
Appearance	Amber colored liquid	Odor	Mild petroleum odor
Color	amber	Odor threshold	No information available
Property	<u>Values</u>	Remarks • Method	
pH Malting point/freezing point	No information available No information available		
Melting point/freezing point Boiling Point/Range	No information available		
Flash point	> 93 °C / > 200 °F	Based on similar produc	ts
Evaporation rate	No information available	Dased on similar produc	13.
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	0.85		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information quailable		
Decomposition temperature	No information available 100-160 @40C cSt		
Kinematic viscosity	No information available		
Dynamic viscosity Explosive properties	No information available		
Oxidizing properties	No information available		
Other information			
Softening point	No information available		
VOC Content	No information available		
Density	No information available		
Bulk density	No information available		

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Contact with eyes may cause irritation.
Skin contact	May cause irritation. Repeated exposure may cause skin dryness or cracking.
Ingestion	

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)	-	-
1-Octene Homopolymer, Hydrogenated 70693-43-5	> 5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	> 5000 mg/m³ (Rat)
Reaction products of Benzeneamine, N-phenyl with nonene (branched) 36878-20-3	> 5000 mg/kg (Rat)	-	-
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts 84605-29-8	= 2000 mg/kg(Rat)	> 3200 mg/kg (Rabbit)	-
Phenol, dodecyl-, branched 121158-58-5	= 2100 mg/kg (Rat)	= 5 mL/kg(Rabbit)	-
Diphenylamine 122-39-4	= 1120 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	_

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. Mineral oils are known to cause cancer because of carcinogenic components (e.g. benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has caused skin cancer in animal tests.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards at concentrations $>0.1\%$.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Numerical measures of toxicity - Pr	oduct Information

Unknown Aquatic Toxicty

0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .ATEmix (oral)5904 mg/kgATEmix (dermal)6019 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life

0.4% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated heavy	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
paraffinic		mg/L LC50	EC50
64742-54-7			
Reaction products of Benzeneamine,	-	1000: 96 h Pimephales promelas	14 - 28: 96 h Mysidopsis bahia
N-phenyl with nonene (branched)		mg/L LC50 semi-static	mg/L LC50
36878-20-3			
Phosphorodithioic acid, mixed	-	10 - 100: 96 h Pimephales	0.1 - 1: 48 h Daphnia magna
O,O-bis(1,3-dimethylbutyl and iso-Pr)		promelas mg/L LC50 static 38: 96	mg/L EC50
esters, zinc salts		h Pimephales promelas mg/L	
84605-29-8		LC50 100: 96 h Pimephales	
		promelas mg/L LC50 semi-static	
Phenol, dodecyl-, branched	-	0.14: 96 h Oncorhynchus clarki	-
121158-58-5		mg/L LC50	
Diphenylamine	1.5: 72 h Scenedesmus	3.47 - 4.14: 96 h Pimephales	1.69 - 2.46: 48 h Daphnia magna
122-39-4	subspicatus mg/L EC50	promelas mg/L LC50 flow-through	mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
Diphenylamine	3.5
122-39-4	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Diphenylamine	(hazardous constituent - no	Included in waste streams:	-	-
122-39-4	waste number)	F039, K083, K104		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status	
Diphenylamine	Toxic	
122-39-4		

14. TRANSPORT INFORMATION

DOT

Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	SARA 313 - Threshold Values %		
Diphenylamine - 122-39-4	1.0		
SARA 311/312 Hazard Categories			
Acute health hazard	No		
Chronic Health Hazard	No		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts 84605-29-8	X	-	Х
Diphenylamine 122-39-4	Х	X	Х

U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

16. OTHER INFORMATION				
NFPA_	Health hazards 0	Flammability 1	Instability 0	Physical and Chemical Hazards -
HMIS	Health hazards 0	Flammability 1	Physical hazards 0	Personal protection X
Issuing Date Revision Date	25-Nov-2015 07-Mar-2017			
Revision Note SDS sections updated 2				
			owledge, information and	

publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS